

# Index

*"Kindly look her up in my index, Doctor,"  
murmured Holmes without opening his eyes.*

— ARTHUR CONAN DOYLE, *A Scandal in Bohemia* (1891)

A suffix “t” after a page number denotes a table, “f” a figure, “n” a footnote, and “q” a quotation at the opening of a chapter. Aspects of  $\text{\TeX}$  are indexed under  $\text{\LaTeX}$ . Definitions of technical terms can be found in the glossary.

- a* or *an*, 30
- a* or *the*, 24, 76–77
- abbreviations, 30–32
- abstract, 99–101
  - citing references in, 100
  - generic, 101
  - mathematics in, 100
  - publication peculiarities, 102
  - structured, 101
- acknowledgments, 115
- acronyms, 30, 32
- active voice, 32–33
- adjectives, 34
  - absolute, 32
- Adobe Acrobat, 147, 208, 311
- adverbs, 33–34
- affect* versus *effect*, 38
- age words, 34–35
- al words, 34–35
- algorithms, typesetting of, 168
- alphabet
  - choosing notation from, 11
  - Greek, 297
- alternate* versus *alternative*, 38
- altmetrics, 295
- an* or *a*, 30
- analog tools, 3
- and, comma before final, 53–54
- antonyms, 69
- apostrophes, 50–51
- appendices, 117
- article processing charge (APC), 199, 211
- articles (the, a, an), 24, 30, 76–77
- arXiv repository, 202
  - preprints
    - $\text{\BibTeX}$  entries for, 179
    - reference format, 121
- asides, *see also* publication
  - peculiarities
  - brief history of scholarly publishing, 215
  - glossary for mathematical writing, 21
  - oral examination procedure, 262
  - Oxford commas, 54
  - spotlight factor, 98
  - ten commandments of good writing, 61

- aspell, 191
- AucTeX (Emacs package), 184, 270
- audience, analyzing, 90–91, 225
- author list
  - order of, 96–99
  - publication peculiarities, 96–98
  - spotlight factor, 98
- autocompletion, in text editors, 185
- automation, in text editors, 185
- AWK, 177
  
- backups, 189
- bastard enumeration, 46
- Beamer (L<sup>A</sup>T<sub>E</sub>X class), 230–235
- because of*, 39
- bibclean, 177
- biber, 180
- bibexport, 177
- bibextract, 177
- bibliography, *see* BibTeX;
  - references
- BibNet, 176, 177
- BibTeX, 173–180
  - abbreviations, 178
  - annotated bibliographies, 176
  - bibliography style, 174
  - BibNet, 176, 177
  - capitals, protecting, 178
  - Collection of Computer
    - Science Bibliographies, 176
  - databases, maintaining, 177
  - DOI field, 178
  - entries, examples of, 179–180
  - keys, choosing, 177–178
  - month field abbreviations, 178
  - URL field, 178
- blackboard bold font, 152, 172
- blog posts, 287–291
  - BibTeX entries for, 180
  - graphics, importance of, 290
  - reference format, 121
  - reposting, 288
  - software for writing, 290
  - topic, choice of, 288–289
  
- book, 263–273
  - audience, 265
  - captions for table of contents, 271
  - coauthorship, 265–266
  - copy editing, 269
  - date for reference list, 119
  - exercises, 266
  - file arrangement, 270
  - fine-tuning, 272
  - headers, 271
  - indexing, 269
  - L<sup>A</sup>T<sub>E</sub>X, use of, 270–272
  - preface, 267
  - proposal, 267–269
    - reviewing, 221–222
  - publisher, choice of, 268–269
  - review writing, 222
  - source code, final changes to, 271–272
  - why to write, 264–265
- both*, 47
- brackets, in expressions, 26
  
- calligraphic font, 152
- capitalization, 35, 122
  - of titles, 95
  - of words after colon, 35
- CC-BY licenses, 212 t
- cf.*, 31
- chemical formulas, typing in L<sup>A</sup>T<sub>E</sub>X, 171
- citation indexing, 294–295
- citing the references, 112–114
  - by name and year, 112
  - by number, 112
  - Harvard system, 112, 114
  - including author’s name, 113
  - placement of, 112
  - signposting, 113
  - Vancouver system, 112
- Collection of Computer Science
  - Bibliographies, 176
- collocations, 75
- colon
  - capitalizing words after, 35

- colon (*continued*)
  - in L<sup>A</sup>T<sub>E</sub>X, 159
  - in range expressions, 26
  - in titles, 94
- color, RGB versus CMYK, 194–195
- commandments
  - of giving a talk, 239, 246
  - of good writing, 61
- commas, 50
  - before final “and”, 53–54
  - Oxford, 53–54
  - serial, 53–54
- compare to* versus *compare with*, 38
- completion, in text editors, 185
- Comprehensive T<sub>E</sub>X Archive
  - Network (CTAN), 147, 177, 233
- comprise* versus *compose*, 38
- computational experiments and
  - results, reporting, 105–106
- Computer Modern Bright font, 162, 164 t
- Computer Modern font, 162, 164 t
- Computing Reviews*, 295
- conclusions section, 114–115
- conference proceedings, 198
- conflict of interest, as referee, 220
- conjectures, 7
- connecting words and phrases, 44, 78–82
- consistency, 37
- constants, typesetting in roman
  - font in L<sup>A</sup>T<sub>E</sub>X, 151
- constitute*, 39
- constructions, common ones in
  - mathematical writing, 77, 78 t
- contractions, 37
- copy editor, role of, 197 q, 205–206
- copyright, 210–211
- corollaries, 6
- cover letter, with journal
  - submission, 201
- Creative Commons licenses, 211, 212 t
- criticism, constructive, 3
- cross-references, in L<sup>A</sup>T<sub>E</sub>X, 147
- Crossref organization, 120, 203
- CTAN (Comprehensive T<sub>E</sub>X
  - Archive Network), 147, 177, 233
- dangling participles, 37–38, 135
- dangling theorems, 122–123
- dashes, 161
- dating work, 99, 165
- definitions, 9–11
- delatex, 192
- delay in publication, 200
- delay in refereeing, 200
- Dewey Decimal Classification, 295–296
- diamond open access, 205
- diction, 192
- dictionaries, 66–68, 84–85
  - American Heritage College Dictionary*, 67
  - American Heritage Dictionary of the English Language*, 67
  - bilingual, 84
  - Chambers Dictionary*, 67
  - Collins Cobuild Advanced Learner’s Dictionary*, 84
  - Collins English Dictionary*, 67
  - Collins Plain English Dictionary*, 84
  - Concise Oxford Dictionary*, 67
  - learner’s, 84
  - Longman Dictionary of Contemporary English*, 84
  - Merriam-Webster’s Collegiate Dictionary*, 67, 163
  - Oxford Advanced Learner’s Dictionary*, 84
  - Oxford English Dictionary*, 66
  - Random House Webster’s Unabridged Dictionary*, 67
  - Shorter Oxford English Dictionary*, 67

- dictionaries (*continued*)
  - using, 84–85
  - Webster's New World College Dictionary*, 67
  - Webster's Third New International Dictionary*, 66, 67, 163
- `diff` (Unix utility), 147, 190
- diffs (differences of files), 147, 190
- displayed equations, 18–19
- dissertation, *see* thesis
- distraction-free writing, 185
- DOI (Digital Object Identifier), 119–120
  - field in `BBTEX`, 178
- `doi2bib`, 176
- dots
  - ground level, 22
  - in `LATEX`, 156, 159
  - vertically centered, 22, 26
- double negatives, 40, 77
- drafts, revising, 127–143
- due to*, 39, 134
- e-posters, 253
- e.g.*, 30
- effect* versus *affect*, 38
- either*, 47
- elegant variation, 41
- ellipses
  - in `LATEX`, 156
  - to denote omission, 22
- em-dashes, 161
- Emacs (editor), 68, 177, 183 q, 184–185, 195, 270, 290
  - backups, 189
  - Org mode, 183 q, 184, 186, 187, 188 t, 194, 290
  - org2blog package, 290
- embedded indexing, 277
- en-dashes, 161
- English language examinations
  - IELTS, 86
  - TOEFL, 86
- English language, thinking in, 74
- English usage, guides to, 69–70, 87
- epsilon, alternative symbols, 26
- equations
  - displaying, 18–19
  - line breaks in displayed, 20
  - numbering, 123–124
  - punctuation of, 15
  - referencing numbered, 25
  - which to display, 18
- errata, 213
- errors to check for, 130, 131 f
  - essentially*, 34
  - etc.*, 31
- examples, role of, 8–9
- exclamation marks, 50
- exercises, in books, 266
- expressions, punctuation of, 15
- false friends, 84
- false ifs, 41–42
- fast Fourier transform, notation for, 12
- fences, ordering of, 26
- fewer* versus *less*, 39
- file organization, 187–189
  - (*the following*), avoiding, 49
- fonts
  - available in `LATEX`, 162–163
  - blackboard bold, 152, 172
  - boldface mathematics, 152
  - calligraphic, 152
  - roman versus italic, 21–22
  - sans serif, 230
- footnotes, 123
  - placement of symbol, 27
- for example*, 30
- Fourier math font, 162
- fraud, 125
- Free Software Foundation, 184
- full stops, *see* periods
- functions, mathematical
  - in `LATEX`, 151
  - in roman font, 21
- galley proofs, 206 n
- Git, 189
- glossary, 309–313

- GNU Emacs, *see* Emacs
- gold open access, 205
- Google Scholar, 294
- grammar checkers, 192–194
- graphs, 111–112
- Greek alphabet, 297
- green open access, 205
- grep** (Unix utility), 177
  
- h-index, 294
- halmos ( $\square$ ), 8, 14
- hanging theorems, 122–123
- Harvard system (for citations), 112, 114
- hyphenation, 42–43, 161
  - exceptions for  $\TeX$ , 163–165
- hyphens, suspensive, 43
- hypotheses, 7
  
- I* versus *we*, 60–61
- i.e.*, 30
- idiomatic phrases, 74
- idioms, 75
- IELTS, 86
- iff*, 31
  - inventor, 14
- ifs, false, 41–42
- impact factor, 199
- index, 276–286
  - amusing index entries, 285
  - double-posting, 280
  - for book, 269
  - gloss, parenthesized, 279–280
  - headings
    - choosing, 278
    - singular vs. plural, 278
  - indexer, choice of, 276–277
  - length, 281
  - locators
    - at main versus subentry level, 280
    - formatting of, 284
    - maximum number per entry, 278
    - multiple entries for one topic, 276
    - multiple indexes, 280, 284
    - preparing, *see* index-writing process
    - purpose of, 276
    - see* and *see also* entries, 280
    - subentries, using connectives, 279
- index-writing process, 277–285
  - embedded indexing, 277
  - in  $\LaTeX$ , 281–285
  - index** ( $\LaTeX$  package), 284
  - MakeIndex**, 282–285
  - number of `\index` commands per page, 284
  - showidx** ( $\LaTeX$  package), 284
- initialisms, 30, 32
- Institute for Scientific Information (ISI), 294
- integer, spelling out, 49
- introduction, 103–104
- ISBN (International Standard Book Number), 122, 177
- ise and -ize endings, 37, 57
- ISO standard for mathematical typesetting, 21
- ispell**, 191
- ISSN (International Standard Serial Number), 122, 177
- it*, ambiguous, 35
- italic font, usage in typesetting
  - mathematics, 21–22
- its* or *it's*, 37
  
- JabRef, 177
- journal
  - abbreviations of names, 119
  - accessibility, 199
  - Chinese economic, rejection from, 197q
  - choosing, 198–200
  - open access, 199
  - publication delays, 200
  - refereeing delays, 200

- journal (*continued*)
  - submitting a manuscript, 200–202
- JPEG files, 147, 195, 310
  - including in L<sup>A</sup>T<sub>E</sub>X, 170
- Jupyter Notebook, 194
- keywords, 102
- Kincaid formula (readability), 192
- Kronecker delta, 13, 14 t
- lacheck**, 173
- L<sup>A</sup>T<sub>E</sub>X, 145–181
  - \! (negative thin space), 158
  - \\* (discretionary multiplication sign), 156
  - \, (thin space), 154
  - \ (correct usage of), 148
  - \@ (to mark end of sentence), 167
  - \| (norm symbol, ||), 159
  - accents, 159
  - algorithm** package, 168
  - algorithmic** environment, 168
  - algorithms, typesetting of, 168
  - align** environment, 152–153, 171
  - alignat** environment, 152–153
  - \allowbreak, 156
  - amsmath** package, 300, 301
  - amsmath** package, 148, 149, 151, 152, 154, 161
  - amssymb** package, 148, 152, 172, 299–301
  - annotations, 166
  - backref** package, xxi, 180, 270, 280
  - Beamer class, 230–235
  - \bfseries, 172 t
  - biblatex** package, 180
  - bibliographies by chapter, 271
  - bibunits** package, 271
  - \big, \bigr, \Big, \Bigg, 150–151
  - bm** package, 152
  - \bm, 152
  - bmatrix** environment, 161
  - boldface mathematics, 152
  - \boldmath, 152
  - books, tips for producing with, 270–272
  - booktabs** package, 108, 169
  - \cdot, 159
  - \cdots, 156
  - chapterbib** package, 271
  - checking cross references and citations, 201
  - chemical formulas, 171
  - \cite, 148
  - cmbright** package, 163
  - \colon, 159
  - constants, typesetting in roman, 151–152
  - control space (\\_), 167
  - dashes, 161
  - \date, 165
  - dcolumn** package, 169
  - \ddots, 156
  - debugging, 172–173
  - \DeclareMathOperator, 151
  - \def, 154
  - delimiters, sizing, 150–151
  - description** environment, customizing, 166
  - displaymath** environment, 149
  - \dots, 156
  - ellipses, 156
  - \ensuremath, 151
  - enumerate** environment, customizing, 166
  - enumitem** package, 166
  - epstopdf** package, 170
  - eqnarray** environment (deprecated), 153, 171
  - \eqref, 155
  - equation\*** environment, 149
  - fancyhdr** package, 271
  - fancyvrb** package, 168, 234
  - filenames and internet addresses, typing, 162
  - fonts, 162–163
  - fouriernc** package, 163

$\LaTeX$  (*continued*)

- `\frac`, 160
- `\frenchspacing`, 167
- `gather` environment, 153, 154
- geometry package, 166
- `\gg` ( $\gg$ ), 159
- graphics package, 170
- `\graphicspath`, 170
- `graphicx` package, 148, 170
- Greek letters in italic, 152, 160
- `\hat`, 159
- `\hphantom`, 157
- hyperref package, 148, 162
- hyphenation exceptions, 163–165
- `idxlayout` package, 285
- `\include`, 270
- `\includeonly`, 270
- including graphics, 169–170
- `index` package, 284
- `\index`, 281
- indexing in, 281–285
- `\it` (obsolete), 172 t
- `itemize` environment, customizing, 166
- `\itshape`, 172 t
- key, choice in labels, 155
- `\label`, 155
- labels, choice of, 155
- `latexsym` package, 300, 301
- `\left`, `\right`, 150–151
- line breaks in formulas, 155–156
- line spacing, wider, 166
- `listings` package, 168
- lists, overuse of, 166
- `\ll` ( $\ll$ ), 159
- `\lq` ( $\lq$ ), 165
- macros for notation, 154–155
- `\makeindex`, 281
- margins, changing, 166
- `math` environment, 149
- math mode, 149
- `\mathbb`, 152
- `\mathbf`, 152
- `\mathcal`, 152
- mathematical functions in
  - roman, 151–152
- `\mathnormal`, 152, 160
- `mathpazo` package, 163
- `mathptmx` package, 163
- `\mathstrut`, 157
- `mathtools` package, 148, 161
- `\mbox`, 153, 154
- `\mdseries`, 172 t
- `mhchem` package, 171
- `multind` package, 284
- `nag` package, 172
- negative thin space (`\!`), 158
- `\newcommand`, 154–155
- `\normalfont`, 172 t
- obsolete syntax, avoiding, 171–172
- order of invocation with
  - `BBTEX` and `MakeIndex`, 148
- page layout, 166
- paragraphs, unintentional new, 149
- parentheses, sizing, 151
- `\PassOptionsToPackage`, 162
- `path` package, 162
- PGF package, 169
- PGFPlots package, 169
- `\phantom`, 157
- preamble, 147
- `\printindex`, 282
- programs, typesetting of, 168
- pseudocode, typesetting of, 168
- `\quad`, `\qqquad`, 156
- quotation marks, 165
- `\ref`, 148, 155
- `\rm` (obsolete), 172 t
- `\rmfamily`, 172 t
- `\rq` ( $\rq$ ), 165
- `\sc` (obsolete), 172 t
- `\scshape`, 172 t
- `setspace` package, 166
- `\sf` (obsolete), 172 t
- `\sffamily`, 172 t
- `showidx` package, 284

$\LaTeX$  (*continued*)

- showlabels package, 155
- siunitx package, 168, 169
- `\sl` (obsolete), 172 t
- slashed fractions in text, 160
- `\slshape`, 172 t
- `\smash`, 157, 158
- source code layout, 150
- spaces, 167
- spacing in formulas, 156–158
  - fine-tuning, 158–159
- symbols, 299–308
  - confusable, 160 t
- tables, 169
- testthyphens package, 163
- `\text`, 154
- text in displayed equations, 153–154
- `\textbf`, 172 t
- textcomp package, 308
- `\textit`, 172 t
- `\textmd`, 172 t
- `\textnormal`, 172 t
- `\textrm`, 172 t
- `\textsc`, 172 t
- `\textsf`, 172 t
- `\textsl`, 172 t
- `\texttt`, 172 t
- `\textup`, 172 t
- thin space (`\,`), 154
- ties, 167
- TikZ package, 169, 187
- `\tilde`, 159
- `\tt` (obsolete), 172 t
- `\ttfamily`, 172 t
- upref package, 148
- `\upshape`, 172 t
- url package, 148, 162
- `\url`, 162
- `\varDelta`, 152
- `\varepsilon`, 26
- `\vdots`, 156
- `\verb`, 162
- verbatim environment, 234
- `\vphantom`, 157
- `\widehat`, 159
- `\widetilde`, 159
- latexdiff, 190, 204
- latexmk, 148
- lemmas, 6
- less* versus *fewer*, 39
- library classification schemes, 295–296
- Library of Congress Classification, 295–296
- licensing, 210–211
- like*, 47–48
- line breaks, 19–20
  - in  $\LaTeX$  formulas, 155–156
- linking words, 44, 78–82
- lists, 44–46
  - in  $\LaTeX$ , 165–166
- literate programming, 194
- Lucida Bright font, 162, 164 t
- macros
  - in  $\LaTeX$ , 154–155
  - in text editors, 185
- MacTeX, 146
- MakeIndex, 282–285
- Markdown language, 187
- markup languages, 186–187
- Masters thesis, *see* thesis
- mathematical functions
  - in  $\LaTeX$ , 151
  - in roman font, 21
- Mathematical Reviews*, 96, 100, 102, 199, 295, 311
- mathematical writing, glossary, 21
- Mathematics Subject Classification, 102, 200
- MathJax, 288
- MathSciNet, 294, 295
- MathWebSearch, 295
- MATLAB Live Editor, 194
- METAFONT, 181
- Microsoft Word, 187, 190, 192
- MiKTeX, 146
- minimalist writing, 185
- misspellings, common, 35–36
- MSc thesis, *see* thesis



- narrowing, 186
- Nature*, 115
- negatives, double, 40, 77
- New Century Schoolbook font, 162, 164 t
- notation, 11–14
  - Greek alphabet, 297
  - requirements for good, 5, 11
  - simplifying in extreme cases, 12
- notational synonyms, 24–25
- noun strings, 48
- nouns, 48–49
  - zombie, 62–63
- nth*, etc., 26, 77
- numbering mathematical objects, 123–124
- numbers
  - ordinal, 77
  - spelling out, 49
- ology words, 34–35
- only*, 62
- open access
  - journals, 199
  - gold, green, diamond, platinum, 205
  - self-archiving, 205
- opendotex**, 192
- oral examinations, procedure, 262
- ORCID (Open Researcher and Contributor ID), 202
- ordinal numbers, 77
- Org mode, 183 q, 184, 186, 187, 188 t, 194, 290
- org2blog (Emacs package), 290
- organization and structure, 91–92
- outlining, 186
- Overleaf (online L<sup>A</sup>T<sub>E</sub>X editor), 146
- owing to*, 39
- Oxford commas, 53–54
- Palatino font, 162, 164 t
- Pandoc (document conversion), 187
- paper
  - abstract, *see* abstract
  - acknowledgments, 115
  - appendices, 117
  - author list, *see* author list
  - conclusions section, 114–115
  - introduction, 103–104
  - shortest, 214
  - supplementary materials, 117
  - title, *see* title
  - when to publish, 198
  - writing, 89–125
- paragraph length, 49
- parallelism, 20–21
- parentheses
  - sizing in L<sup>A</sup>T<sub>E</sub>X, 151
  - unnecessary, 23
- participles, dangling, 37–38, 135
- passive voice, 32–33
- PDF files, 311
  - including in L<sup>A</sup>T<sub>E</sub>X, 170
- PDF workflow, 147
- performance profiles, 105
- periods, 50
  - with ellipses, 22
- permissions, 210–211
- perturb*, 85
- PGF (L<sup>A</sup>T<sub>E</sub>X package), 170
- PGFPlots (L<sup>A</sup>T<sub>E</sub>X package), 169
- PhD thesis, *see* thesis
- plagiarism, 124–125
- plain text, 186–187
- platinum open access, 205
- plural, of number or symbol, 51
- posters, 250–254
  - 10–10 rule, 251
  - blitz, 254
  - board size, 250
  - definition, 250
  - e-posters, 253
  - layout, 252
  - templates, 254
  - title, 250
  - transporting, 253
- PostScript files, 312
  - converting to PDF, 170
  - including in L<sup>A</sup>T<sub>E</sub>X, 170
- pr** (Unix utility), 191

- problem*, 48
- programming languages, literate programming, 194
- programs, typesetting of, 168
- Project Jupyter, 194
- pronouns
  - ambiguous, 35
  - personal, 60
- proof
  - marking the end of, 8, 14
  - organization of, 7–8
- proofreading, 206–210
  - errors to check for, 207f
  - marks, 209f
  - note added in proof, 210
- propositions, 6
- pseudocode, typesetting of, 168
- publication delays, 200
- publication peculiarities
  - abstracts, 102
  - acknowledgments, 116
  - author lists, 96–98
  - sequence of papers, 214
  - shortest papers, 214
  - titles, 93
- publishing, what and when to publish, 198
- punctuation, 49–51
  - in foreign languages, 86
  - of lists, 44–46
  - of mathematical expressions, 15
  - of numbers, 85–86
- QED, 8
- QR code, 225, 252
- quotation marks, 50, 165
  - in different languages, 86
- readability formulas
  - Flesch formula, 193
  - Kincaid formula, 192
  - limitations of, 193
- reading, to improve writing, 3
- reason*, 48
- referee reports, responding to, 203–204
- refereeing
  - how to, 218–221
  - process, 203–204
- reference rot, 120
- references, 117–122
  - author initials, 118
  - author name, 118
  - citing, 112–114
  - date to quote for book, 119
  - DOI, 119–120
  - errors in, 118
  - format of, 117, 174
  - ordering of, 119
  - record full details of, 119
  - secondary sources, 118
  - to items on the web, 120–122
  - using B<sub>I</sub>B<sub>T</sub>E<sub>X</sub>, 173–180
- Ref<sub>T</sub>E<sub>X</sub> (Emacs package), 177, 184
- rejection, from Chinese economic journal, 197q
- reordering words, 62
- repetition, 51
- reproducible research, 105–106, 117, 194
- retraction, 125
- revising drafts, 127–143
  - errors to check for, 130, 131f
- rivers (typographical), 272
- Roget's Thesaurus*, 69
- roman font
  - constants in L<sub>A</sub>T<sub>E</sub>X, 151
  - usage in typesetting
    - mathematics, 21–22
- RStudio, 194
- running head, 201, 312
- sans serif font, 230
- satisfy* versus *verify*, 83
- saying what you mean, 53
- scholarly publishing, brief history, 215
- Science Citation Index, 294
- SCOPUS, 199
- § (section), 104

- self-archiving, 205, 312
- self-plagiarism, 124
- semicolons, 50
  - as list separator, 54
- sentences
  - equations are part of, 15
  - opening words of, 53, 62, 89 q
- serial commas, 53–54
- SHERPA RoMEO service, 205
- SI prefixes, 111
- SI units, 168–169
- SIAM journals
  - acceptance rate, 199
  - instructions for referees, 219 f
  - progress of an accepted article, 211–213
- significant*, 48
- simplification, 54
- slides
  - awful, definition of, 223
  - duplicate, 228
  - economy of words, 228
  - graphs in, 229–230
  - legibility, 229
  - lines, number of, 227
  - number of, 230
  - overlays, 227, 230
  - preparing in Beamer, 230–235
  - revising, examples of, 235
  - tables in, 229
  - title slide, 225
- snippets, 185
- sort** (Unix utility), 191
- speech
  - pitch variation, 244
  - speed of, 243
  - volume of, 243
- spell** (Unix utility), 191
- spellcheckers, 86, 190–191
- spelling, 54–57
  - alternative forms, 54–57
  - American versus British, 54–57, 68
  - common errors, 35–36
- split infinitives, 57–58, 129, 134
- spotlight factor, 98
- structured abstract, 101
- style checkers, 86, 192–194
- style guides, 70
- subject classifications, 102
- submission process
  - for book proposals, 269
  - for journals, 200–202
- submitting previously published material, 201–202
- Subversion (SVN), 189
- succinctness, 52
- supplementary materials, 117
- symbols, 18 t
  - $\Leftrightarrow$  or  $\Leftrightarrow$ , 18
  - $\Rightarrow$ , 18
  - $\epsilon$  versus  $\in$ , 26
  - $\exists$ , 18
  - $\forall$ , 18
  - at end of sentence, 136
  - at start of sentence, 23
  - Greek alphabet, 297
  - placement of, 23
  - separate by words, 23
  - $\TeX$  and  $\LaTeX$ , 299–308
  - unnecessary, 23
  - words versus, 16–18
  - year of first use in print, 14 t
- synonyms, 58–59
  - lists in thesauruses, 69
  - notational, 24–25
- tables, 106–111
  - booktabs** ( $\LaTeX$  package), 108, 169
  - orientation, row versus column, 108
  - rules in, 108
  - versus graphs, 108
- talk
  - Beamer, *see*  $\LaTeX$ , Beamer class
  - chairing, 246–247
  - compared with a paper, 224
  - eye contact with audience, 244
  - finishing on time, 244
  - gestures, 244

- talk (*continued*)
  - in a foreign language, 224
  - laptop, where to put, 242
  - microphone, 241
  - multiple entry points, 226
  - multiple exit points, 226
  - nerves, 244
  - notes for, 240
  - pauses, 243
  - pointer, use of, 241–242
  - practising, 240
  - preparing for, 240–242
  - speech
    - pitch variation, 244
    - speed of, 243
    - volume of, 243
  - ten commandments, 246
  - title, 225
  - writing, 223–235
- technical writing guides, 70–71
- tenses, 59–60
- $\text{\TeX}$ , 145–181, 194, *see also*  $\text{\LaTeX}$ 
  - symbols, 299–308
- $\text{\TeX}$  Live, 146
- $\text{\TeX}$  Users Group (TUG), 162, 181
- text editors, 184–186
- th*, etc. (*n*th term), 26, 77
- that is*, 30
- that* versus *which*, 39–40
- the* or *a*, 24, 76–77
- theorems, 6–7
  - dangling, 122–123
  - hanging, 122–123
  - “invalid”, 125
  - numbering, 124
- thesauruses, 69, 84
- thesis
  - defending, 261–262
  - opening pages, format of, 260
  - oral examination procedure, 262
  - purpose of, 258
  - writing, 258–261
- this*, ambiguous, 35
- TikZ ( $\text{\LaTeX}$  package), 169, 187
- Times Roman font, 162, 164 t
- title, 92–96
  - choice of words, 89q
  - line breaks in, 95
  - of posters, 250
  - of talks, 225
  - shortest, 93
- TOEFL, 86
- touch typing, 185
- tr** (Unix utility), 191
- track changes, 190
- try and* versus *try to*, 48
- TUG ( $\text{\TeX}$  Users Group), 162, 181
- typographical errors, 208
- undo, in text editors, 185
- uniq** (Unix utility), 191
- Unix, 177, 184, 190, 191, 284
  - diff**, 147, 190
  - grep**, 177
  - pr**, 191
  - sort**, 191
  - spell**, 191
  - tr**, 191
  - uniq**, 191
  - wc**, 192
- URL (uniform resource locator), 120
  - field in  $\text{\BibTeX}$ , 178
  - linking with  $\text{\LaTeX}$ , 148, 162
  - shortened, to point to slides, 225
- usage guides, 69–70
- Vancouver system (for citations), 112
- verify* versus *satisfy*, 83
- version control, 189
- Vi (editor), 184
- Vim (editor), 184, 195
- voice, active versus passive, 32–33
- wc** (Unix utility), 192
- we have*, 15, 49
- we* versus *I*, 60–61
- Web of Science, 199
- which* versus *that*, 39–40

- wicked which, 39–40, 132
- widows (line, word), 207f, 272
- Wikipedia articles
  - BiBTeX entries for, 179–180
  - reference format, 121
- word frequency count, 191
- word pyramids, 59f
- Word, Microsoft, 187, 190
- Wordnik open dictionary project, 68
- Wordpress, 288
- words
  - absolute, 32
  - abstract, 58
  - age ending, 34–35
  - al ending, 34–35
  - ambiguous, 47–48
  - Anglo-Saxon, 59
  - compound, 42–43
  - concrete, 58
  - connecting, 44, 78–82
  - distinctions between, 38–40, 82–83
  - elegant variation, 41
  - French origin, 58
  - hyphenation of, 42–43
  - ise and -ize endings, 37, 57
  - Latin origin, 58
  - linking, 44, 78–82
  - misused, 47–48
  - ology ending, 34–35
  - omitting to improve sentence, 49
  - order of, 62
  - redundant, to avoid confusion, 9
  - spelling, *see* spelling
  - symbols versus, 16–18
  - unnecessary, removing, 52–53
  - yse and -yze endings, 57
- workflow, 184–195
- World Wide Web, referencing items on, 120–122
- Writer’s Workbench, 193
- writing
  - clear thinking and, 1q, 2
  - distraction-free, 185–186
  - factorial technique, 128
  - is difficult, 2
  - plain, 2
  - reading to improve, 3
  - spiral technique, 128
  - ten commandments, 61
  - to learn, 2
- WYSIWYG (“what you see is what you get”), 146, 290
- yse and -yze endings, 57
- ZbMath*, 102, 199, 295
- zeros/zeroes, spelling of, 36
- zip code* versus *rip cord*, 208
- zombie nouns, 62–63